



TO PL 03 2VD E COV P  
5 GRVCO DGT

**2WD E GC V FGPEG4GR TV**

## **1. Statutory Reports**



# 6 G O O W P V G C V 2 T H G

Birmingham City Council wants the city to become a **bolder, healthier city**. This is city where everyone can have a healthy, happy life.

The Community Health Profiles help us understand the gaps (health inequalities) in achieving this in different communities.

The Profiles describe the health inequalities of a specific community of identity or interest or experience.

Setting out the differences in need shown by the evidence can help the Council, it's partners and communities take action to close the gaps and improve the health of people in Birmingham.

The Community Health Profiles will be published on the Council's website as resources to support greater understanding and awareness of the issues affecting different communities in our city.

We aim to refresh them every 5-8 years depending on the data availability.

# FGPEG 4GR TV( TY CTF 2 CP

OO P V GCV  
2T H G

- Sikh – (Sept 2021)
- Bangladeshi- (Sept 2021)
- Muslim
- Lesbian
- Trans
- **d/Deaf & Hearing Loss** ←
- Sight Loss
- Nigerian
- Indian
- Caribbean Islands  
Commonwealth States
- Somali
- Kenyan
- Pakistani

GGR G 4GR TV

- Veterans (published)
- End of Life (published)
- Learning Disabilities
- Dual Diagnosis
- Mobility Impairment
- Sensory Impairment

OO P

- Birmingham Poverty Truth Commission – focus on Housing issues
- Birmingham & Lewisham African & Caribbean Health Inequalities Review

# OOV V GCV 2THG COV



To find and review the physical health, mental health, lifestyle behavioural and wider determinants (social and economic factors) that exist in health in a specific community.



To collect and present this information using the 10 key priority areas identified in the Health and Wellbeing Strategy for Birmingham - Creating a Bolder Healthier City

To engage with the local communities on the evidence found and highlight the opportunities to address



# GV F I [

A full review of

- Academic resources, including PubMed, Census 2011, Web of Sciences
- Grey literature, including national, voluntary and community reports, PHE and NHS, google/google scholar and Deaf organisations

Health & Wellbeing data review and research according to specified health and well-being indicators

Comparison groups include the hearing population of the UK.



## . O VCV P HV G ( PF PI

Limited data was collected on disability from the 2011 Census.

Population data used is from the 2011 Census and is likely to have changed since then. Conclusions on populations must therefore be taken with caution.

Limitations exist in the profiles due to the ways that people in the studies are found and included.

- For example, people who are born Deaf or with hearing loss may have different lived experiences to those who become Deaf or who have hearing loss at some point in their life. Often studies do not separate the two groups.

# 5 CTPI OOW V GCV 2THG

Written report & PowerPoint slide set

Published on the [BCC Communities Pages](#)

YouTube highlights video

Webinars for Deaf and hard of hearing community and wider partners



GOHOPE GCTPI . 2THG

9 GD PM c a d d l p p l r f e i e  
m d l r f e l e n d i p f o f d e  
l l r f i

# 6 G5G GTV H GCTPI .



People without hearing loss can hear noises between 0 and 140 decibels (dB).

Hearing loss can range from mild (20-40dB), where the person might find it difficult to follow speech in noisy situations to profound (>95dB).<sup>[1]</sup>

A loss of 35dB is considered 'disabling' hearing loss, this figure is different around the world.<sup>[2]</sup>

# GCTPI . P PI CPF

The UK has about **12 million** people living with mild hearing loss. Around **1.2 million** adults have hearing loss of 65dB or greater.<sup>[3]</sup>



# GCTPI . P TO PI CO

In Birmingham in 2020 there were **152,158** people with mild hearing loss or greater.<sup>[7]</sup>

Around **11,525** people aged over 70 have severe or profound hearing loss.

**8,260** people are registered as Deaf or hard of hearing in Birmingham.

Birmingham remains the largest Deaf community compared to other metropolitan districts in the country.

# 1 GT GY H PGSWC VG

Higher rates of birth complications.

Deaf children are less school ready and have lower educational attainment.

High amounts of mental illness within community; difficulties accessing services.

Increased risk of domestic violence in Deaf women.



Limited employment opportunities.

High rates of high blood sugar, twice as likely to have undiagnosed diabetes.

Increased risk of falls in older people.





) **GWPI V G G V5 VCTV P . HG**

Deaf children are less likely to achieve the communication and language early learning goals of listening and

# GPVC GC V CPF 9 G DG PI

- Rates of depression are double that in the Deaf community (**24%**) compared to the general population (**12%**).<sup>[16,17]</sup>
- **39-42%** of Deaf people experience Physical abuse, higher than the hearing population (**13-20%**).
- Amounts of smoking and drinking alcohol in the Deaf community is lower than the general population.<sup>[18]</sup>

## Risk Factors of Poor Mental Health

- Being left out of social situations
- Less education and employment opportunities
- Lack of awareness of ‡



## Obesity

- **72%** Deaf men and **71%** women were overweight or obese, compared to the general population (**65%** men and **58%** women).<sup>[19]</sup>

## BMI and Waist Circumference

- Based on BMI and waist measurements, **48%** of Deaf people are at high or very high risk of developing heart disease, diabetes, arthritis, and some cancers.<sup>[17]</sup>

## Healthy Eating

- Limited data to understand the knowledge of healthy eating and portions among Deaf and hearing loss communities.

# EV GCV GT I GCPF D V

- **57%** of Deaf or hard of hearing people do less than 30 minutes of exercise each week. Compared to **21%** of non-disabled people.<sup>[20]</sup>
- **8 in 10** Deaf people said they would prefer playing sport in a mixed environment with Deaf and hearing people.<sup>[21]</sup>
- Only **9.7%** of people with hearing loss take part in sport once per week.<sup>[22]</sup>



PEGTP CD VW CEM H  
HVPG



V HRCTCMPI P R TV



. CEM HE PHFGPEG




CTTGT V E OOWP ECVPI

# 9 TMPI CPF . GCTP PI 9 G

- Only **46%** of working age disabled people are in work.<sup>[23]</sup>
- **8 out of 10** people with hearing loss reported that the attitude of employers is a large barrier to employment.
- **34% of Deaf students** achieved 2 A-levels, or similar, compared to **55% of hearing students.**<sup>[24]</sup>

2G RGE CO PI F CD V PI C YCPEGFVGV C PI C GCH  
E PF V PHT [GCT CPF GT



2T VGEVCPF G\GEV

Screening



# PI V G) CR

Hearing loss was ranked in the **top five** leading causes of **YLDs (Years Lived with disability)** in 84% of European countries.

Factors contributing to poor health and wellbeing include:

- Poor access to education
- High unemployment
- Access to healthcare

## Gaps in healthcare services<sup>[29]</sup>

- **80%** of Deaf people want to speak with a doctor in BSL. Only **30%** manage to.
- **24.6%** of Deaf patients



## ) TGGP CPF 5 W VC PCD G ( VWVG

Some research suggests that as electric vehicles are quieter, there are some safety issues for those with hearing loss.<sup>[30]</sup>


Also, findings about environmental justice says people who are Deaf may not

# VI CVPI V G HGEV H 1 8

Impact on wellbeing	Practical problems
Increased isolation and loneliness	Face masks (made it difficult to speak with others)
Increased mental health problems especially depression	Accessing health and social services and interpreters
Further worsening of co-morbidities because of issues accessing services	Accessing COVID-19 vaccine centers to get their protection

**1 in 3 reported that the pandemic had a major impact on their mental health. Most experienced anxiety (61%), stress and worry (60%) and depression (35%).<sup>[32]</sup>**





GOHPE OCTPI . 2THG  
PHITCR E



# DEAF AND HEARING LOSS COMMUNITY PROFILE

MENTAL HEALTH AND WELLNESS

HEALTHY AND AFFORDABLE FOOD

GETTING THE BEST START IN LIFE

Research shows that deaf and hearing loss people are more likely to experience mental health issues, such as anxiety, depression, and self-harm, and are at a higher risk of suicide. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience food insecurity and homelessness, which can further exacerbate mental health issues. It is important to provide support and resources to help deaf and hearing loss people manage their mental health and well-being.

**HEARING LOSS COMMUNITY** **TYPE OF OVERWEIGHT** **DEAF AND HEARING LOSS COMMUNITY**

Hearing Loss General population

Research shows that deaf and hearing loss people are more likely to be overweight or obese. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience food insecurity and homelessness, which can further exacerbate mental health issues. It is important to provide support and resources to help deaf and hearing loss people manage their weight and overall health.

Research shows that deaf and hearing loss people are more likely to experience domestic violence. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience food insecurity and homelessness, which can further exacerbate mental health issues. It is important to provide support and resources to help deaf and hearing loss people manage their domestic violence and overall well-being.

Research shows that deaf and hearing loss people are more likely to experience homelessness. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience food insecurity and mental health issues, which can further exacerbate homelessness. It is important to provide support and resources to help deaf and hearing loss people manage their homelessness and overall well-being.

Research shows that deaf and hearing loss people are more likely to experience food insecurity. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience homelessness and mental health issues, which can further exacerbate food insecurity. It is important to provide support and resources to help deaf and hearing loss people manage their food insecurity and overall well-being.

Research shows that deaf and hearing loss people are more likely to experience mental health issues. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience food insecurity and homelessness, which can further exacerbate mental health issues. It is important to provide support and resources to help deaf and hearing loss people manage their mental health and overall well-being.

Research shows that deaf and hearing loss people are more likely to experience social isolation. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience food insecurity and homelessness, which can further exacerbate social isolation. It is important to provide support and resources to help deaf and hearing loss people manage their social isolation and overall well-being.

Research shows that deaf and hearing loss people are more likely to experience communication barriers. This is often due to a combination of factors, including communication barriers, social isolation, and a lack of understanding of their own needs. The deaf and hearing loss community is also more likely to experience food insecurity and homelessness, which can further exacerbate communication barriers. It is important to provide support and resources to help deaf and hearing loss people manage their communication barriers and overall well-being.

APPROVED BY UNIVERSITY ADMINISTRATION | NATIONAL AUDIOLOGICAL SOCIETY | UNIVERSITY ADMINISTRATION

removed a grade 4 for each subject. It was... #1 deaf community #2 A #3 deaf

more likely... something something something with a physical disability... RARE

MEMBERS TO ACTIVITY... 2A levels (2015/16) of... BUSINESS... COMMUNICATIONS... SERVICE... COURSE... COMPARED

of deaf participants in a UK... may be... THE DEAF COMMUNITY... were limited because of their hearing

loss... BARRIERS AT WORK... Reasons for early retirement due to hearing loss included... DIFFICULTIES... COMMUNICATION CHALLENGES... ONLY... FACILITATORS TO ACTIVITY

of deaf students knew that... only... UK... FACILITATORS TO ACTIVITY



4G-GTGPEG



# 4G-GTPEG

[13] National Deaf Children's Society. Right from the start. A campaign to improve early years support for deaf children 2016 [Available from: [https://www.ndcs.org.uk/media/1283/right\\_from\\_the\\_start\\_campaign\\_report\\_final.pdf](https://www.ndcs.org.uk/media/1283/right_from_the_start_campaign_report_final.pdf)].

[14] National Deaf Children's Society. NDCS note on Department for Education figures on attainment for deaf children in 2020 (England) 2021 [Available from: NDCS note on Department for Education figures on attainment for deaf children in 2020 (England)].

[15] Weale S. Deaf pupils in England struggle at every stage of school, report finds: The Guardian,; 2019 [Available from: <https://www.theguardian.com/society/2019/aug/13/deaf-pupils-in-england->

---

# 4G-GTPEG

- [22] UK Deaf Sport. UK Deaf Sport NDSO pack 2016 [Available from: [https://www.activityalliance.org.uk/assets/000/000/238/1919\\_NDSO\\_Inserts\\_UKDS\\_Web\\_updated\\_28.9.17\\_original.pdf?1506608788#:~:text=UK%20Deaf%20Sport%20\(UKDS\)%20is,perform%20on%20the%20world%20stage](https://www.activityalliance.org.uk/assets/000/000/238/1919_NDSO_Inserts_UKDS_Web_updated_28.9.17_original.pdf?1506608788#:~:text=UK%20Deaf%20Sport%20(UKDS)%20is,perform%20on%20the%20world%20stage)]
- [23] RNID. Hidden disadvantage. Why people with hearing loss are still losing out at work 2014 [Available from: <https://rnid.org.uk/wp-content/uploads/2020/05/Hidden-Disadvantage-full-report.pdf>].
- [24] National Deaf Children's Society. Just a third of deaf students achieve two A-levels 2021 [Available from: <https://www.ndcs.org.uk/about-us/news-and-media/latest-news/just-a-third-of-deaf-students-achieve-two-a-levels/>].
- [25] Nomis official labour market statistics
- [26] Gov.uk. Deafness and HIV/AIDS: a systematic review of the literature 2010 [Available from: <https://www.gov.uk/research-for-development-outputs/deafness-and-hiv-aids-a-systematic-review-of-the-literature#links>]
- [27] RNID. Hearing loss and dementia: how are they linked? 2021 [Available from: <https://rnid.org.uk/hearing-research/our-research-projects/hearing-loss-and-dementia-how-are-they-linked/>]
- [28] British Society of Audiology. Hearing and balance 2021 [Available from: <https://www.thebsa.org.uk/public-engagement/hearing-balance/>].
- [29] Tsimpida D, Kontopantelis E, Ashcroft DM, Panagioti M. Regional patterns and trends of hearing loss in England: evidence from the English longitudinal study of ageing (ELSA) and implications for health policy. BMC Geriatrics. 2020;20(1):536.
- [30] TFN. Deaf ambition for 2021 2021 [Available from: <https://tfn.scot/opinion/deaf-ambition-for-2021>]
- [31] Global Green Grants Fund. Why the environmental justice movement must include people with disabilities 2019 [Available from: <https://www.greengrants.org/2019/03/18/disability-and-environment/>]
- [32] SignHealth. Results from our 2nd pulse survey of the impacts of the pandemic on the Deaf community 2021 [Available from: <https://signhealth.org.uk/health-wellbeing/results-from-our-2nd-pulse-survey-of-the-impacts-of-the-pandemic-on-the-deaf-community/>]

